

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-7. (Canceled).

8. (Withdrawn) The combination of:

an electrostimulating apparatus for applying electrical stimuli to biological tissues; and  
a device for exchanging heat with said biological tissues.

9. (Withdrawn) The combination according to claim 8, wherein said device for  
exchanging heat comprises a device for heating said biological tissues.

10. (Withdrawn) The combination according to claim 8, wherein said device for  
exchanging heat comprises a device for cooling said biological tissues.

11. (Withdrawn) The combination according to claim 9, wherein said device for  
exchanging heat comprises a device for cooling said biological tissues.

ZANELLA

Appl. No. 10/550,601

April 10, 2009

12. (Withdrawn) The combination according to claim 8, wherein said device for exchanging heat comprises a device for controlling the temperature of said biological tissues.

13. (Withdrawn) The combination according to claim 9, wherein said device for exchanging heat comprises a device for controlling the temperature of said biological tissues.

14. (Withdrawn) The combination according to claim 10, wherein said device for exchanging heat comprises a device for controlling the temperature of said biological tissues.

15. (Withdrawn) The combination according to claim 11, wherein said device for exchanging heat comprises a device for controlling the temperature of said biological tissues.

16. (Currently Amended) An electrostimulating apparatus that generates a relaxing sequence suitable for stimulating striated muscle fibre, based on three fundamental parameters: the width of the electric stimulation, the frequency of said stimulation and the intervals of time, wherein a plurality of width/frequency combinations followsfollow, in said relaxing sequence a basic variation being the variation in frequency whereas widths remain constant.

17. (Currently Amended) An electrostimulating apparatus that generates a vasoactive sequence of activation of the microcirculation suitable for stimulating the smooth muscle fibre and the postsynaptic neuroreceptors, based on three fundamental parameters: the width of the

ZANELLA

Appl. No. 10/550,601

April 10, 2009

electric stimulation, the frequency of said stimulation and the time wherein a plurality of combinations of width/frequency follow, said vasoactive sequence comprising three subsequences, wherein a frequency increase is provided in the first and second subsequences and a variation of width is provided in the third subsequence.